



2024
TRUCK BEDS

WELCOME



Thank you for choosing Norstar as your source for truck beds. It is our pleasure to serve your business in providing the highest quality truck beds and service bodies on the market. Your satisfaction is our number one goal and we want to ensure our business relationship is always rewarding and prosperous. Please feel free to contact us with any questions, concerns, or any suggestions that can help improve our service to you.

Norstar was founded in 2012 with a seasoned and experienced team that raised the first 20,000 square foot facility by their own hands from the ground up. Within the first few years, Norstar became a major player in the national truck bed market.

- In the first two years, Norstar facilities expanded to almost five times the size of the original shop space.
- In 2018, Norstar saw another addition in the new stacking bay, bringing the total to 360,000 square feet.
- By 2019, Norstar encompassed 450,000 square feet.
- Now in 2024, Norstar has expanded with a plant in Mexico with a combined square footage of over 1.2 million between both plants!

AN UNFORGETTABLE YEAR!



Custom color matched truck photo on cover submitted by Joseph Weiland. Other photos in catalog are submitted.



TABLE OF CONTENTS



PG. 4



PG. 6



PG. 8



PG. 10



PG. 12



PG. 14



PG. 16



PG. 18



PG. 20

SIZE GUIDE

FORD

1998-2017 (2018+)	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	56"/58"(2018+)	38"
Cab & Chassis	9'4"	94"/97"	60"	34"
Cab & Chassis	11'4"	94"/97"	84"	34"
Single Wheel Short Wheel Base	84"	84"	40"	38"
Single Wheel Long Wheel Base	8'6"	84"	56"/58"(2018+)	38"

GMC/CHEVROLET

2001-PRESENT	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	56"	42"
Cab & Chassis	9'4"	94"/97"	60"	34"
Cab & Chassis	11'4"	94"/97"	84"	34"
Single Wheel Short Wheel Base	84"	84"	42"	42"
Single Wheel Long Wheel Base	8'6"	84"	56"	42"

DODGE

2003-PRESENT	LENGTH	WIDTH	CTA	RUNNERS
Dually	8'6"	97"	58"	42"
Cab & Chassis	11'4"	94"/97"	84"	34"
Cab & Chassis	9'4"	94"/97"	60"	34"
Single Wheel Short Wheel Base	84"	84"	38"	42"
Single Wheel Long Wheel Base	8'6"	84"	58"	42"
Megacab (Single Wheel)	84"	84"	38"	42"
Megacab (Dually)	84"	97"	38"	42"

We Recommend...

- *F-350 width 94", 97"
- *F-450 width 94", 97" with standard Headache Rack
- *F-550 width 97" with standard Headache Rack
- *2015 F-650 Requires 34.5" Runners

Prior to 2000 all measurements required

*2002 and earlier require 56" CTA and 38" runners on long bed


SD MODEL



Skirted Smooth Side with Front, Top and Rear Tool Boxes

2024 SD


The Norstar SD Service bed is one of our best selling models, and for good reason too. It's perfect for day-to-day tasks. Featuring multiple standard tool boxes, adjustable smooth flare fenders, a rear lockable compartment, 12 Ga steel construction and much more, this bed is built tough.



Standard Galvanized Tool Shelves



Optional C-TECH Tool Cabinet



Photos may include optional features.

STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars
- Steel 1/8" Diamond Plate Floor
- Fold-Down Tail Gate with Latch
- Built in Gooseneck Well with Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- Skirted Rear Bumper with Anti-Slip Step
- 2 Angled Top Toolboxes & 2 Horizontal Top Toolboxes
- 4 Tool Boxes & Locking Chrome Paddle Latches (6 on 11'4")
- Rear Lockable Compartment 27" x 38" - 78"
- 12Ga Steel Construction with 11Ga Bumper
- Dual LED Rear Work Lights
- LED Head Rack Work Light
- Adjustable Black Smooth Fender Flares
- Primer & Powder Coated Black
- 3/4" LED Marker Lights
- Mudflap Brackets
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 7 Way Receiver Female Plug with Adapter
- 7 Way Plug in Gooseneck Well
- Adjustable Galvanized Shelves in Front Tool Boxes





SD MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1450	50"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	50"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1705	50"
Dually (Bed Takeoff)	8'6"	90"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1735	50"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1790	50"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC,Dodge, Ford)	1820	50"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC,Dodge, Ford)	2180	50"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

GROUP	INCLUDED OPTIONS
P02	X50 + F02
P07	W50 + F02 + W51 + W52 + X50 + X58

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
W50 = CHROME ACCENT LIGHT PACKAGE
W51 = CHROME LIGHT HOUSING/ DUALY ONLY
W52 = CHROME LICENSE PLATE HOUSING
X50 = ALUMINUM DIA PLATE SKIRT COVER
X58 = ALUMINUM DIA PLATE TOP TOOLBOX COVERS

INDIVIDUAL OPTIONS

These options are available in combination & individually

- HEADRACK EXTENSION AVAILABLE
- 6 DRAWER C-TECH AVAILABLE
- WHITE AVAILABLE




**NEW FOR
2024!!!!**

Photos may include optional features.


SL MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails



2024 SL

The Norstar SL Journeyman Bed is a marriage between our two most popular beds, the SD and ST. Our Journeyman Bed offers the best of both worlds with multiple tool boxes, a full-width deck, rub rails and stake pockets, and many more features for whatever the job throws at you.



STANDARD FEATURES

- Structural Steel Frame
- 4" Channel Runners
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built in Gooseneck Well with Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- 4 Tool Boxes & Locking Chrome Paddle Latches (6 on 11'4")
- Skirted Rear Bumper with Anti-Slip Step
- 12Ga Steel Construction with 11Ga Bumper
- Adjustable Black Smooth Fender Flares
- 3/4" LED Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- Primer & Powder Coated Black
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 7 Way Receiver Female Plug with Adapter
- 7 Way Plug in Gooseneck Well
- Adjustable Galvanized Shelf in Front Tool Boxes
- Mudflap Brackets





SL MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1450	80"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1705	80"
Dually (Bed Takeoff)	8'6"	90"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1735	90", 93"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1790	80"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC,Dodge, Ford)	1820	90", 93"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC,Dodge, Ford)	2180	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

GROUP	INCLUDED OPTIONS
P01	S52
P02	X50 + F02
P03	W50 + F02 + W51 + W52 + X50

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
W50 = CHROME ACCENT LIGHT PACKAGE
W51 = CHROME LIGHT HOUSING/ DUALY ONLY
W52 = CHROME LICENSE PLATE HOUSING
X50 = ALUMINUM DIA PLATE SKIRT COVER
S52 = REAR RUB RAIL & STAKE POCKETS

INDIVIDUAL OPTIONS

These options are available in combination & individually

CODE	DESCRIPTION
CT#	C-TECH TOOL CABINETS
X01	15" GN TROUGH
U06	B&W TURNOVER BALL
HB1	BALE SPIKES
WHT	WHITE

Photos may include optional features.


SR MODEL

Diamond Plate Side Rails with Stake Pockets and Rub Rail



2024 SR

The Norstar SR model is our flagship truck bed. Durable diamond plate construction, Structural Steel Frame and a 18.5k rated hitch will make this your everyday task-ready truck bed for years to come.



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels (Adjustable on 84", 8'6" Only)
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Reverse Lights
- Steel 1/8" Diamond Plate Floor
- Built-In Gooseneck Well w/ Ball Mounted & Diamond Plate Lid
- Angled Fuel Filler Neck and DEF Ready
- 11 Ga Skirted Rear Bumper
- 1/8" Diamond Plate Construction
- Primer & Powder Coated Black
- 2.5" LED Reflective Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Adjustable Mudflap Brackets
- 7 Way Plug in Gooseneck Well





SR MODEL

Diamond Plate Side Rails with Stake Pockets and Rub Rail

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	40"(Ford)	985	80"
Mega Cab Dually	84"	97"	40" On SR Only	955	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford)	1070	80"
Dually (Bed Takeoff)	8'6"	97"	56"(Chevy/GMC, Ford)	1035	90", 93"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC,Dodge, Ford)	1160	80"
Cab & Chassis Dually	9'4"	94", 97"	60"(Chevy/GMC,Dodge, Ford)	1180	90", 93"
Cab & Chassis Dually	11'4"	94", 97"	84"(Chevy/GMC,Dodge, Ford)	1250	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

GROUP	INCLUDED OPTIONS
P01	S52

INDIVIDUAL OPTIONS

These options are available in combination & individually

CODE	DESCRIPTION
X01	15" GN TROUGH
U06	B&W TURNOVER BALL
HB1	BALE SPIKES
S52	REAR STAKE POCKETS
WHT	WHITE



Photos may include optional features.


UB MODEL

Square Service Body Truck Bed



2024 UB

The ALL-NEW UB Service Bed brings a new twist on the service truck bed. With a square body and removable rear bumper you'll find everything you need to make this bed your ultimate service body bed.



STANDARD FEATURES

- Structural Steel Frame
- Galvanneal Steel Construction
- Truck Specific Cross Member Layout
- 1/8" Diamond Plate Steel Floor
- Angled Fuel Filler Neck & DEF Ready
- Bolt-On Frame Mounted Rear Bumper
- Integrated Step in Rear Bumper
- Rolled Rubber Fenders
- 6 Tool Boxes w/ Adj Shelves
- NEW Master Locking System
- Bolt-On Fold Down Tail Gate
- Primer & Powder Coated White
- 4 - 4" Multi Function Rear Facing Lights
- Dual LED License Plate Light
- 3/4" Side Markers
- All Lighting DOT Approved
- Mudflap Brackets



UB MODEL

Square Service Body Truck Bed


2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Long Bed	102"	78"	57" (Ford, Chevy, Dodge)	975	50"
Dually (Bed Take-Off)	102"	90"	57" (Ford, Chevy, Dodge)		
Cab Chassis Dually	112"	90"	60" (Ford, Chevy, Dodge)		
Cab Chassis Dually	136"	90"	84" (Ford, Chevy, Dodge)		

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS

CABINET DIMENSIONS

These measurements are for a single wheel long bed



INDIVIDUAL OPTIONS

These options are available in combination & individually

CODE	DESCRIPTION
CT#	C-TECH AVAILABLE ON DUAL WHEEL
BLK	BLACK



Photos may include optional features.


ST MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails



2024 ST

The ST Model is a heavy-hauler. It comes loaded with four standard toolboxes, available bale spikes, rub rails and an optional goose-neck trough. The ST is built to carry whatever you need to wherever you need it.



STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Rev. Lights
- Steel 1/8" Diamond Plate Floor
- Built in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
- Angled Fuel Filler Neck & DEF Ready
- Skirted Smooth Plate Rear Bumper with Anti-Slip Step
- Removable Black Smooth Fender Flares
- 12Ga Steel Construction with 11Ga Bumper
- Primer & Powder Coated Black
- 2.5" LED Reflective Marker Lights
- 4 Clear 6" Oval LED Reverse Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- 4 Tool Boxes & Locking Chrome Paddle Latches
- Mudflap Brackets
- 7-Way Plug in Gooseneck Well





ST MODEL

Skirted Smooth Side with Front/Rear Tool Boxes and Rub Rails

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1045	80"
Mega Cab Dually	84"	97"	38"(Megacab Dually)	1155	93"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1275	80"
Dually (Bed Takeoff)	8'6"	97"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1295	90"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC, Dodge, Ford)	1320	80"
Cab & Chassis Dually	9'4"	94", 97"	60"(Chevy/GMC, Dodge, Ford)	1465	90", 93"
Cab & Chassis Dually	11'4"	94", 97"	84"(Chevy/GMC, Dodge, Ford)	1585	90", 93"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

GROUP	INCLUDED OPTIONS
P01	S52
P02	X50 + F02
P03	W50 + F02 + W51 + W52 + X50

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
W50 = CHROME ACCENT LIGHT PACKAGE
W51 = CHROME LIGHT HOUSING/ DUALY ONLY
W52 = CHROME LICENSE PLATE HOUSING
X50 = ALUMINUM DIA PLATE SKIRT COVER
S52 = REAR RUB RAIL & STAKE POCKETS



INDIVIDUAL OPTIONS

These options are available in combination & individually


CODE	DESCRIPTION
X01	15" GN TROUGH
U06	B&W TURNOVER BALL
HB1	BALE SPIKES
WHT	WHITE



Photos may include optional features.

WH MODEL

Skirted Smooth Side with Four Tool Boxes



Steel Tube
Head Rack

Powder Coated
Black


Steel 1/8" Diamond
Plate Floor

Full LED
Lighting

Gooseneck Trough

2024 WH

The WH Model is our top of the line bed. This Western Deluxe Truck Bed comes ready to impress with its diamond plate floor Structural Steel Frame and head-turning standard aluminum trim package.



2 5/16" 30k Rated 2 5/16"
GN Ball

4 Recessed
D-Rings

Aluminum
Fuel Filler

Front Side
Tool Box
(Chrome
Hinges)

Brushed Stainless
Steel

Rear Side Tool Box
(Chrome Hinges)

Dove Tail

Chrome Accented
Lighting

Aluminum Cast
Plate Housing

2.5" 18.5k Rated
Receiver

STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 30k Rated 2 5/16" GN Ball
- Formed 3 x 3/16" Channel Cross Members
- Steel Tube Head Rack with Cross Bars, Tail & Rev. Lights
- Built-in Gooseneck Well w/ Ball Mounted & Diam Plate Lid
- Skirted Rear Bumper w/ Anti-Slip Step
- 2 Aluminum Cast Angled Fuel Fillers
- Aluminum Cast Tail Light Housing
- Aluminum Cast License Plate Housing
- Aluminum Trim Package
- 11Ga Steel Construction with 10Ga Bumper
- 4 Side Swing Tool Box Doors w/ Chrome Hinges (Except Megacab)
- 7 Way Plug in Gooseneck Trough

- 4 Recessed D-Rings
- 18" Gooseneck Trough
- Dove Tail
- Primer & Powder Coated Black
- Chrome Accent Lighting
- 2.5" LED Reflective Marker Lights
- 4 Clear 6" Oval LED Rev. Lights
- 6 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- All Lighting DOT Approved
- Molded Sealed Harness with resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Mudflap Brackets
- Steel 1/8" Diamond Plate Floor





WH MODEL

Skirted Smooth Side with Four Tool Boxes

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	78"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	915	74"
Mega Cab Dually	84"	88"	38"(Megacab Dually)	965	88"
Single Wheel Long Bed	8'6"	78"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1095	74"
Dually (Bed Takeoff)	8'6"	84", 88"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1290	80", 84"
Cab & Chassis Single Wheel	9'4"	78"	60"(Chevy/GMC,Dodge, Ford)	1235	74"
Cab & Chassis Dually	9'4"	88"	60"(Chevy/GMC,Dodge, Ford)	1355	80", 84"
Cab & Chassis Dually	11'4"	88"	84"(Chevy/GMC,Dodge, Ford)	1515	80", 84"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



INDIVIDUAL OPTIONS

These options are available in combination & individually


CODE	DESCRIPTION
U06	B&W TURNOVER BALL (Eliminates trough)
WHT	WHITE



Photos may include optional features.

SC MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes



2024 SC

The Norstar SC Service bed is a great addition to any job site. Our precision built Service Body offers multiple standard tool boxes, polished fenders, 12Ga steel construction and more for your daily tasks.



Standard Galvanized Tool Shelves

STANDARD FEATURES

- Structural Steel Frame
- 2.5" 18.5k Rated Receiver
- 4" Runner Channels
- Formed 3 x 3/16" Channel Cross Members
- Steel 1/8" Diamond Plate Floor
- Angled Fuel Filler Neck & DEF Ready
- Skirted Rear Bumper with Anti-Slip Step
- 3 Tool Boxes & Locking Chrome Paddle Latches on Each Side
- Adjustable Galvanized Shelves
- Rear Lockable Compartment 27" x 38" - 78"
- 12 Ga Steel Construction with 11Ga Bumper
- Rear Master Lock System
- 3/4" LED Marker Lights
- Primer & Powder Coated White
- Removable White Smooth Fender Flares
- 2 Clear 6" Oval LED Reverse Lights
- 4 Red 6" Oval LED ST/TL/TN Lights
- Single LED License Plate Light
- Side & Rear Reflectors
- All Lighting DOT Approved
- Molded Sealed Harness with Resistors
- 4/5 & 7 Way Receiver Female Plug with Adapter
- Mudflap Brackets
- [GN Well NOT Available - B&W Turnover IS Available]





SC MODEL

Skirted Smooth Side with Front, Top and Rear Tool Boxes

2024 BASE MODELS

MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT	DECK WIDTH
Single Wheel Short Bed	84"	84"	38"(Dodge/Megacab), 40"(Ford), 42"(Chevy/GMC)	1735	50"
Mega Cab Dually	84"	90"	38"(Megacab Dually)	1735	50"
Single Wheel Long Bed	8'6"	84"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	2100	50"
Dually (Bed Takeoff)	8'6"	90"	56"(Chevy/GMC, Ford), 58"(Dodge, Ford-Verify)	1740	50"
Cab & Chassis Single Wheel	9'4"	84"	60"(Chevy/GMC, Dodge, Ford)	2300	50"
Cab & Chassis Dually	9'4"	90"	60"(Chevy/GMC, Dodge, Ford)	1840	50"
Cab & Chassis Dually	11'4"	90"	84"(Chevy/GMC, Dodge, Ford)	2080	50"

*WEIGHT OF UNITS ARE APPROXIMATES ONLY AND SUBJECT TO CHANGE DEPENDING ON OPTIONS



APPEARANCE PACKAGES

These options are sold in groups. See list below for option description.

GROUP	INCLUDED OPTIONS
P02	X50 + F02
P03	W50 + F02 + W51 + W52 + X50
P04	F89 (Top Boxes & Lids)
P05	W50 + F02 + W51 + W52 + X50 + F89
P06	X50 + F02 + F89

APPEARANCE OPTION REFERENCE LIST

F02 = STAINLESS STEEL FENDERS
 F89 = TOP TOOLBOXES AND LIDS
 W50 = CHROME ACCENT LIGHT PACKAGE
 W51 = CHROME LIGHT HOUSING/ DUALY ONLY
 W52 = CHROME LICENSE PLATE HOUSING
 X50 = ALUMINUM DIA PLATE SKIRT COVER



INDIVIDUAL OPTIONS

These options are available in combination & individually

CODE	DESCRIPTION
CT#	C-TECH TOOL CABINETS
BLK	BLACK



Photos may include optional features.

AR MODEL



Continuing Norstar's legacy of quality built products, we introduce our 2023 Aluminum Line. With a gooseneck hitch rating of trailer weight at 30,000 lbs and a receiver hitch rated at 18,500 lbs the AR and AT bring some serious towing power to your arsenal with corrosion resistant construction.

Aluminum Head Rack

Full LED Lighting

Aluminum Side Rails with Stake Pockets and Rub Rails				
MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT
Single Wheel Short Bed	84"	84"	40"	656
Mega Cab Dually	84"	97"	38"	N/A
Single Wheel Long Bed	8'6"	84"	56"	727
Dually (Bed Takeoff)	8'6"	97"	56"	764
Cab & Chassis Single Wheel	9'4"	84"	60"	762
Cab & Chassis Dually	9'4"	97"	60"	812
Cab & Chassis Dually	11'4"	97"	84"	869

Optional Chrome Light Package

Optional Removable 6" Smooth Aluminum Rail Extensions

Rub Rails

Solid Steel Subframe

4/5 & 7-Way Plug

7-Way Plug in Gooseneck Well

*Optional Feature

Skirted Bumper w Anti-Slip Step

2.5" 18.5k Rated Receiver





Aluminum Side Rails with Stake Pockets and Rub Rails				
MODEL	LENGTH	WIDTH	CAB TO AXLE	WEIGHT
Single Wheel Short Bed	84"	84"	38", 40", 42"	722
Mega Cab Dually	84"	97"	38"	736
Single Wheel Long Bed	8'6"	84"	56", 58"	812
Dually (Bed Takeoff)	8'6"	97"	56", 58"	854
Cab & Chassis Single Wheel	9'4"	84"	60"	862
Cab & Chassis Dually	9'4"	97"	60"	925
Cab & Chassis Dually	11'4"	97"	84"	1,011



Photos may include optional features.

UNDERMOUNT OR STACKABLE TOOL BOXES

Part #	Length	Depth	Height	Latches
S43610021BK	18"	16"	12"	1
S43610022BK	24"	16"	12"	1
S43610024BK	30"	16"	12"	1
S43610023BK	24"	16"	16"	1
S43610040BK	30"	16"	16"	1
S43610060BK	18"	18"	18"	1
S43610061BK	24"	18"	18"	1
S43610062BK	36"	18"	18"	1
S43610063BK	48"	18"	18"	1
S43610064BK	60"	18"	18"	2

NOTE: Part No. will be used when item is sold individually. Option Code will be used when mounted to truck bed.

Max Box Sizes

Single 84"	18x16x12
Dually 8'6"	24x16x16
Dually 9'4"	30x16x16
Dually 11'4"	60x16x16
Single 8'6"	24x16x12
Single 9'4"	30x16x12




PLUG-N-PLAY INSTALLATION ADAPTERS

Part #	Description - Ford
301300060	Ford Cab & Chassis 2000-CRNT
301300062	Ford Box Delete 2011-2016
301300150	Ford Box Delete 2011-2016 w/ Camera
301300066	Ford Box Delete 2017-2019
301300146	Ford Box Delete 2020-2022
301300186	Ford Box Delete 2023
301300195	Ford Box Delete 1997-07
301300196	Ford Box Delete 2008-10
301300197	Ford Box Delete 2020-2022 - No Converter
301300198	Ford Cab & Chassis 2020+ 7-Way Harness hookup

Part #	Description - GM
301300063	GM 2014-2015
301300067	GM 2016-2019
301300071	GM Cab & Chassis 2020-Current & Box Delete - 2022 - 2023
301300072	GM Box Delete 2020-2021
301300190	GM Box Delete 2024 - Cab and Chassis w/ Modification
301300191	GM Cab & Chassis 2020-2023
301300192	GM 2020-2023 - 2500-3500 Bed Takeoff
301300199	28" 7-way Extensions Cable for GM beds

Part #	Description - Dodge
301300061	Dodge Cab & Chassis 2000-CRNT
301300068	Universal (Dodge Box Delete)
301300193	Dodge Box Delete 2019+
301300194	RAM 6pin to 12pin adapter for LED lights



SIDE RAIL EXTENSIONS

ST MODEL

Part #	Length	Description
S43607022BK	68.25"	ST084 - 6" Side rails
S43607021BK	84"	ST086 - 6" Side Rails
S43607023BK	96"	ST094 - 6" Side Rails
S43607020BK	119"	ST114 - 6" Side Rails
S43607080BK	68.25"	ST084 - 12" Side rails
S43607078BK	84"	ST086 - 12" Side rails
S43607074BK	96"	ST094 - 12" Side Rails
S43607077BK	119"	ST114 - 12" Side Rails

SR MODEL

Part #	Length	Description
S43607041BK	68.25"	SR084 - 6" Side rails
S43607043BK	84"	SR086 - 6" Side Rails
S43607024BK	96"	SR094 - 6" Side Rails
S43607020BK	119"	SR114 - 6" Side Rails
S43607070BK	68.25"	SR084 - 12" Side rails
S43607072BK	84"	SR086 - 12" Side rails
S43607075BK	96"	SR094 - 12" Side Rails
S43607077BK	119"	SR114 - 12" Side Rails

SL MODEL

Part #	Length	Description
S43607065BK	62.5"	SL086 - 6" Side Rails
S43607063BK	62.5"	SL086 with notch cutout - 6" Side Rails
S43607004BK	70"	SL094 - 6" Side Rails
S43607005BK	96.75"	SL114 - 6" Side Rails

ALUMINUM MODELS

Part #	Length	Description
S43607103AL	68.25"	AR084 & AT084 - 6" Side Rails
S43607100	84"	AR086 & AT086 - 6" Side Rails
S43607102AL	96"	AR094 & AT094 - 6" Side Rails
S43607104AL	119"	AR114 & AT114 - 6" Side Rails

LIGHTING

Part #	Description
301300048	Chrome Bezel 6" Oval
301300050	Chrome Bezel 2.5" Round
301300045	Chrome Bezel 3/4"
302700002	Chrome License Plate Housing
302700023	Chrome Rear Light Housing
302700024	Chrome Rear Light Housing
302700020	Chrome Rear Bumper Work Light Housing
302700021	Chrome Rear Bumper Work Light Housing
302700022	Chrome Fuel Filler Cast
302700007	Chrome DEF Filler Cast

LADDER RACKS

Part #	Description
S0801001BK	Ladder Rack SC 8'6" Black
S43609009WT	Ladder Rack SC 8'6" White
S0801150BK	Ladder Rack SC 84" Black
S43609011WT	Ladder Rack SC 84" White




TOOL CABINETS



C-TECH AND TOOL CABINETS

MODEL	L	W	CTA	FRONT (A)	HORIZONTAL (C)	REAR (D)
SC	8'6", 9'4"	84"	56", 58", 60"	303000003 - 22 x 26.8 x 14.5	303000017 39 x 10.6 x 14.5	Not Available
	8.6"	90"	56", 58"	303000004 - 22 x 26.8 x 18.5	303000018 39 x 10.6 x 18.5	Not Available
	9.4", 11'4"	90"	60", 84"	303000004 - 22 x 26.8 x 18.5	303000018 39 x 10.6 x 18.5	303000019 - 17.77 x 26.8 x 18.5
SD	8'6", 9'4", 11'4"	84"	56", 58", 60", 84"	303000001 - 14.5 x 26.8 x 14.5	Not Available	Not Available
	8'6", 9'4", 11'4"	90"	56", 58", 60", 84"	303000002 - 14.5 x 26.8 x 18.5	Not Available	Not Available
UB	102"	90"		303000015 - 21 x 26 x 18	Not Available	Not Available
	112", 136"	90"		303000015 - 21 x 26 x 18	Not Available	303000015 - 21 x 26 x 18
SC/SD	Rear Lockable Compartment			303000016 - 24 x 4.25 x 36		



OTHER PARTS

Part #	Description
S430500003WT	White Powder Coated Fender Single
300400001	Mud Flap, Norstar, Pair
300400002	Mud Flap, Norstar, Pair
S432060716BK	Tail Gate Assembly SD/SC - Black
301300057	Main & Rear 97" X 8'-11'4"
301300058	Head Board Harness
301300044	7-Way Gooseneck Well Install Cable
301300040	4, 5 & 7 Way Plug

Part #	Description
S43605001BK	Gooseneck Well Cover
302700032	2-5/16" Ball, 1-1/4" Shank w/1" Rise & 30k Capacity
300600030	U-Bolt Gooseneck Safety Chain Kit - 3" x 2" x 1/2-13"
S43006006BK	Headache Rack Spare Tire Mount
S430140108	Universal Mounting Kit
300500011	Polished SS Fender Single
S430500003BK	Black Powder Coated Fender Single

DEALER PRICING AVAILABLE AT NORSTARPARTS.COM



WARRANTY

DISCLAIMER

This Product Guide contains information concerning technical descriptions of components, features and options available for each particular truck bed.

We hope you find this information helpful to you in your sales. To ensure better communication, we ask that you carefully read the Warranty Procedure Information, Terms of Sale and Sales Order Information.

This Product Guide is the property of Norstar Trailers, LLC. The information contained herein is confidential and to be used by Norstar Trailers, LLC employees and authorized dealers only. The information and specifications contained in this booklet are subject to change at any time without notice.

LIMITED WARRANTY

All warranty claims must be processed by an Authorized Norstar Dealer. To initiate a warranty claim, please contact an Authorized Norstar Dealer. You can locate your nearest Authorized Norstar Dealer here: http://www.norstarcompany.com/locate_dealer.cfm.

Online registration of the product within 30 days from date of first retail purchase is required to obtain the coverages provided by this Limited Warranty. You can register your product here: <https://norstarwarranty.com/home/warrantyregistration>.

MANUFACTURER'S LIMITED WARRANTY

Subject to the conditions, limitations and exclusions noted below, Norstar Trailers LLC ("Norstar") warrants each new Norstar Truck Beds as provided below.

1. Three Year Materials and Workmanship Limited Warranty

Norstar warrants each new Norstar Truck Bed to be free from defects in materials and workmanship for a period of three (3) years from the date of first retail purchase. Structural components covered by this warranty include: Hitch assembly, runners and crossmembers, skirt, and headache rack.

2. Six Month Finish Limited Warranty

Norstar warrants its paint finish to be consistent with industry standards for six (6) months from the date of original factory sale.

Any claim or issue arising under this Limited Warranty must be reported immediately to an Authorized Norstar Dealer and will be handled within a reasonable time after the truck bed is returned to an approved repair facility. Norstar will repair or replace, at its sole discretion, any parts or components found to be defective due to faulty materials or workmanship. **NORSTAR'S SOLE OBLIGATION AND BUYER'S SOLE REMEDY UNDER THIS LIMITED WARRANTY IS REPAIR OR REPLACEMENT AT NORSTAR'S ELECTION.**

All warranty repairs must be pre-authorized by Norstar in writing and are subject to commercially reasonable labor rates and material costs. All authorized warranty repairs must use factory authorized replacement parts unless otherwise agreed by Norstar. Transportation costs to and from the approved repair facility and associated costs are not covered by this Limited Warranty and will not be reimbursed.

THE EXPRESS WARRANTIES SET FORTH HEREIN ARE THE EXCLUSIVE WARRANTIES OF NORSTAR, AND NO OTHER WARRANTY, EITHER EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, SHALL APPLY.

This Limited Warranty is not transferrable and extends only to the first retail purchaser. If the product is transferred or sold by the first retail purchaser, the express warranties provided herein are void.

Exclusions:

Parts or components not manufactured by Norstar, such as lights, hitch balls, mud flaps, latches, locks, hinges, wiring harnesses and connectors, C-tech drawers, and hydraulic systems and components are warranted by their respective manufacturers and are excluded from this Limited Warranty.

Parts, components or other items found to be altered or modified from their original condition without prior authorization of Norstar are excluded from coverage under this Limited Warranty. Use of any extension in the factory receiver tube longer than 10.5 inches, measured from pin to ball center, will void the express warranties provided herein. Damages caused by negligence, accident, abuse, misuse, overload, corrosive materials, vehicle collision, failure to properly maintain the product, or catastrophic weather conditions are not covered by this Limited Warranty. Wear items such as flooring, paint, lights, batteries, hinges, bearings and hoses are not covered under this Limited Warranty for normal or expected wear and tear.

Damages sustained during delivery are not covered by this Limited Warranty. Delivery damages should be noted by the dealer at the time of delivery and reported. In order to file a shipping damage claim damages must be indicated on the original packing slip and photos must be taken at the time of delivery. Failure to note the packing slip and record photos of damages could result in a denied claim.

Cosmetic damages will not be covered if not reported by the dealer at the time of delivery. All cosmetic damages reported after first retail purchase will be denied.

Any Truck Bed used as a rental unit or as part of a rental unit is not covered by this Limited Warranty.

Limitations of Liability:

The remedies provided for in this Limited Warranty are exclusive, and the total liability of Norstar to any purchaser, whether based on contract, warranty, tort, strict liability or otherwise, shall not exceed the purchase price of the truck bed giving rise to the claim.

IN NO EVENT, WHETHER BASED ON OR ARISING UNDER CONTRACT, WARRANTY, TORT, STRICT LIABILITY OR OTHERWISE, SHALL NORSTAR BE LIABLE TO PURCHASER OR ANY THIRD PARTY FOR SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY KIND OR CHARACTER (INCLUDING, BUT NOT LIMITED TO, TRUCK BED REMOVAL OR REINSTALLATION, LOSS OF USE, REVENUE, PROFITS, OR WAGES, INVENTORY OR USE CHARGES, TOWING CHARGES, TRANSPORTATION OR SHIPPING COSTS, FUEL COSTS, LODGING OR MEALS, COST OF CAPITAL, AND CLAIMS BY CUSTOMERS).

Warrantable paint repairs are limited to spot repairs and blending consistent with industry standards. Deterioration due to use or exposure, such as chipping, scratching, fading, cracks in caulk seam, road salt, tar, other chemicals, pressure washing, or damage by animals will not be covered. Rust streaking originating from areas where it is virtually impossible to achieve total paint or powder coat coverage, i.e. behind rub rails or where two or more metals adjoin, are consistent with industry standards and are not covered by this Limited Warranty.

Applicable Law / Disputes:

The rights and obligations of the parties under this Limited Warranty shall be interpreted and governed in all respects in accordance with the laws of the State of Texas, USA, exclusive of any choice of law rules or provisions. Any dispute arising out of or related to this Limited Warranty which is not resolved by the parties informally shall be adjudicated exclusively in the courts of Lamar County, Texas, USA.

Severability / Waiver:

If any portion of this Limited Warranty is held to be invalid or unenforceable by a court of competent jurisdiction, such portion shall be deemed modified to the extent necessary to make it valid and enforceable; or if it cannot be so modified, then such portion shall be deemed severed from this Limited Warranty, with the remaining portions of this Limited Warranty continuing in full force and effect.

Norstar makes no other express or implied warranties beyond those described in this Limited Warranty.

Questions regarding this Limited Warranty should be directed to:

Norstar Trailers LLC., 5500 FM 38N, Brookston, Texas 75421 / www.norstarcompany.com



***FOLLOW
THE
STAR***

V.12.15

5500 FM 38N, BROOKSTON, TX 75421

MAIN PHONE NUMBER
903-784-8900